

Steer-A-Ball Parts Required.xls

1		Perforated Strip	12½"	7
1	a	Perforated Strip	9½"	7
1	b	Perforated Strip	7½"	15
2		Perforated Strip	5½"	4
2	a	Perforated Strip	4½"	5
3		Perforated Strip	3½"	5
4		Perforated Strip	3"	9
5		Perforated Strip	2"	1
6		Perforated Strip	2½"	5
6	a	Perforated Strip	1½"	5
7	b	Angle Girder	15½"	2
8		Angle Girder	12½"	19
8	a	Angle Girder	9½"	9
8	b	Angle Girder	7½"	5
9		Angle Girder	5½"	2
9	a	Angle Girder	4½"	4
9	b	Angle Girder	3½"	4
9	c	Angle Girder	3"	2
9	d	Angle Girder	2½"	4
9	e	Angle Girder	2"	1
9	f	Angle Girder	1½"	12
9	g	Angle Girder	1"	4
10		Fishplate	½"x½"	4
11		Double Bracket	½"x½"	14
12		Angle Bracket	½"x½"	16
12	a	Angle Bracket	1"x1"	4
12	b	Angle Bracket	1"x½"	14
12	c	Obtuse Bracket	½"x½"	4
13		Axle Rod	11½"	2
15	a	Axle Rod	4½"	2
15	b	Axle Rod	4"	1
16		Axle Rod	3½"	1
16	a	Axle Rod	2½"	2
16	b	Axle Rod	3"	1
17		Axle Rod	2"	2
18	a	Axle Rod	1½"	2
20	c	Pulley without boss	2" diam.	1
21		Pulley with boss	1½" diam.	1
23		Pulley without boss	½" diam.	3
23	b	Pulley with boss	½" diam.	3
23	c	Set Collar rubber		1
24		Bush Wheel 8 holes	1⅜" diam.	1
24	a	Wheel Disc 8 holes	1⅜" diam.	8
26		Pinion 19 teeth	½" diam.	4
26	c	Pinion 15 teeth	7/16" diam.	1
27	a	Gear Wheel 57 teeth	1½" diam.	4
30	a	Bevel Gear 16 teeth	½" diam.	1
30	c	Bevel Gear 48 teeth	1½" diam.	1
31		Gear Wheel 38 teeth	1" diam.	3
37		Nut and Bolt		
37	c	Hexagonal Nut		4
38		Washer		
38	a	Spacer plastic		44

Steer-A-Ball Parts Required.xls

38	b	Mini Spacer plastic		2
38	d	Washer	¾" diam.	3
46	a	Double Angle Strip	1½"x1"	1
48		Double Angle Strip	1½"x1½"	15
48	a	Double Angle Strip	2½"x1½"	1
48	e	Double Angle Strip	1"x1½"	6
51		Flanged Plate	2½"x1½"	3
52	a	Flat Plate	5½"x3½"	9
53		Flanged Plate	3½"x2½"	2
55	a	Slotted Strip	2"	2
59		Collar		10
62		Crank		3
62	b	Double Arm Crank		2
63		Coupling		4
69		Set Screw	3/16"	4
70		Flat Plate	5½"x2½"	4
72		Flat Plate	2½"x2½"	1
73		Flat Plate	3"x1½"	1
74		Flat Plate	1½"x1½"	7
74	c	Flat Plate	4½"x1½"	1
77		Triangular Plate	1"	1
90		Curved Strip	2½"radius 2½"	14
90	a	Curved Strip	1¾" radius 2½"	3
94		Sprocket Chain		22"
95	b	Sprocket	3" diam.	1
96		Sprocket	1" diam.	1
103		Flat Girder	5½"	2
103	a	Flat Girder	9½"	4
103	b	Flat Girder	12½"	2
103	f	Flat Girder	2½"	3
103	g	Flat Girder	2"	14
109		Face Plate	2½" diam.	1
109	a	Face Plate without boss	2½" diam.	1
111		Bolt	¾"	11
111	a	Bolt	½"	5
111	c	Bolt	¾"	48
114		Hinge		4
115		Threaded Pin		1
115	a	Long Threaded Pin		1
116		Fork Piece large		2
120	b	Compression Spring	14mm	2
133		Corner Bracket	1½"	2
133	a	Corner Bracket	1"	4
133	b	Corner Bracket obtuse	1½"x1½"	2
136		Handrail Support		2
137	a	Wheel Flange	2½" diam.	1
140	y	4-hole Collar		2
142	a	Tyre	2"	1

147	d	Stud Bolt	14.7mm	2
147	g	Stud Bolt	19.2mm	3
148		Ratchet Wheel		1
161		Girder Bracket	2"	2

Steer-A-Ball Parts Required.xls

168	e	Steel Ball	½" diam.	12
179		Rod Socket		1
188		Flexible Plate	2½"x1½"	15
189		Flexible Plate	5½"x1½"	5
190		Flexible Plate	2½"x2½"	3
190	a	Flexible Plate	3½"x2½"	8
191		Flexible Plate	4½"x2½"	2
192		Flexible Plate	5½"x2½"	2
201		Flexible Gusset Plate	2½"x2½"	2
214		Semi Circular Plate	2½"x1½"	17
215		Formed Slotted Strip	3"	2
235	b	Narrow Strip	3½"	10
235	c	Narrow Strip	2"	2
235	m	Narrow Strip	1"	6
236	c	Double Angle Narrow Strip	1½"x1½"	2
236	e	Double Angle Narrow Strip	3½"x1½"	1
238	b	Narrow Double Bracket	½"x1"	2
239	b	Narrow Angle Bracket	½"x1"	2
242		Obtuse Angle Girder	1"	1
242	e	Obtuse Angle Girder	3½"	1
452		Tyre	½"	3
511		Insulating Plate	2½"x2½"	1
518		Bush Wheel	1" diam.	1
760		Gearbox		1
770		Motor		1
B665		Flexible Plate	2½"x2"	2